

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVS6009HPC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/27/2011
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN HOSPICE			STREET ADDRESS, CITY, STATE, ZIP CODE 1055 E TROPICANA AVE STE N LAS VEGAS, NV 89119		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
L 000	<p>INITIAL COMMENTS</p> <p>This Statement of Deficiencies was generated as a result of a State Licensure initial survey conducted in your facility on 4/28/11 - 5/27/11, in accordance with Nevada Administrative Code, Chapter 449, Provision of Hospice Care.</p> <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state or local laws.</p> <p>No regulatory deficiencies were identified. Your license will arrive under separate cover.</p>	L 000			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE